



SILVERLINK 600

Deliver perfectly crisp on the outside and fluffy on the inside chips time after time with the Silverlink 600 Free Standing Electric Fryer. Two independently operated fryer tanks means you have greater versatility while cooking, with an increased power that delivers 60kg of chips an hour. Ideal for cafes, pubs and restaurants, the fryer is built from sturdy stainless steel, while the heavy duty nickel plated baskets are designed for the most demanding of operations. You're in control via the accurate thermostat throughout the entire cooking process, and hinged elements give easy access during cleaning. Then there's the innovative deep cool zone, which collects cooking debris to prolong the life of the oil and therefore save you money.

PRODUCT OPTIONS AND ACCESSORIES

- BA96 BASKET SPUN DFSMALL

PRODUCT FEATURES

- Two independently operated fryer tanks for greater versatility, increased power delivers 60kg of chips per hour
- Front mounted controls for safety
- Hinged elements to give easy access during cleaning
- Cool zone collects cooking debris - gives cleaner cooking results and saves money by prolonging the life of the oil
- Thermostatically controlled to give accurate cooking temperatures throughout cooking
- Fully moulded 304 stainless steel tank and heavy duty nickel plated baskets for the most demanding of operations
- Front drain off tap for easy removal of cooking oil

A/A FILE NUMBER:

ITEM NUMBER:

WEIGHTS & DIMENSIONS

Width	600 mil
Depth	632 mil
Height	980 mil
Weight	45 kg

SHIPPING DETAILS

Ship Width	78 cm
Ship Depth	78 cm
Ship Height	110 cm
Ship Weight	49.5 kg
Number of Shipment Parcels	1
Ship Method	Small Parcel (FedEx, UPS, DHL)
Shipping Package Type	Pieces
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No

PRODUCT CERTIFICATIONS



ENERGY SPECS

Primary Energy Type	Electric	Electrical Kilowatts	18 kW
Electrical Amps Per Conductor	Single Phase 2 x 39.0/ Three Phase L1=2 x 13.0; L2=2 x 13.0; L3=2 x 13.0	Electrical Plug Type	Hardwired
Electrical Total Amperage	78 A	Number of Electrical Plugs	Not Applicable
Electrical Volts	230-400V	Electrical Connection Type	Direct Hardwired
Electrical Total Wattage	18000 W	Number of Electrical Conductor Wires	2
		Dedicated Circuit Required	Yes
		Electrical Remarks	Single, Three

ADDITIONAL SPECIFICATIONS

Auto Oil Top-Off	No	Number of Vats (batteries)	2
Basket Lift Type	Not Applicable	Total Oil Capacity (volume)	18 l
Construction Materials	Stainless Steel	Oil Reclamation	No
Control Type	Rotary Control Knob	Oil Temperature Control	Mechanical
Food Production Rate	52kg chips -12mm [frozen], 60kg chips - 12mm [chilled] per hour	Pumped Oil Filtration	No
Fryer Type	Open Pot	Vat 1 Oil Capacity (volume)	9 l
Integrated Filtration	No	Vat 2 Oil Capacity (volume)	9 l
Number of Baskets	2	Ventless Cooking Technology	No
		Split Pot	Yes
		Temperature Maximum	190 °C

BIDDING SPECIFICATIONS

Bidding Specifications Not Available.

TECHNICAL DRAWING

