

LINCAT SILVERLINK ELECTRIC FREE-STANDING SINGLE TANK FRYER - 1 BASKET - W 300 MM - 9.0 KW

MODEL: J9



SILVERLINK 600

Deliver perfectly crisp on the outside and fluffy on the inside chips time after time with the Silverlink 600 Free Standing Electric Fryer. The single tank with increased power is capable of delivering 30kg of chips an hour. Ideal for pubs, restaurants and care homes, the fryer is built from sturdy stainless steel, while the heavy duty nickel plated baskets are designed for the most demanding of operations. You're in control via the accurate thermostat throughout the entire cooking process, and hinged elements give easy access during cleaning. Then there's the innovative deep cool zone, which collects cooking debris to prolong the life of the oil and therefore save you money.

PRODUCT OPTIONS AND ACCESSORIES

BA96 BASKET SPUN DESMALL

PRODUCT FEATURES

- Single tank fryer with increased power delivering 30kg of chips an hour, perfect for pubs, restaurants and care homes
- Front mounted controls for safety
- · Hinged elements to give easy access during cleaning
- Cool zone collects cooking debris gives cleaner cooking results and saves money by prolonging the life of the oil
- Thermostatically controlled to give accurate cooking temperatures throughout cooking. Flame failure device and top temperature cut out ensures safe operation.
- Fully moulded 304 stainless steel tank and heavy duty nickel plated baskets for the most demanding of operations
- Front drain off tap for easy removal of cooking oil







LINCAT SILVERLINK ELECTRIC FREE-STANDING SINGLE TANK FRYER - 1 BASKET - W 300 MM - 9.0 KW

MODEL: J9

WEIGHTS & DIMENSIONS	
Width	300 mil
Depth	632 mil
Height	980 mil
Weight	26.1 kg

SHIPPING DETAILS	
Ship Width	114 cm
Ship Depth	75 cm
Ship Height	53 cm
Ship Weight	28.71 kg
Number of Shipment Parcels	1
Ship Method	Small Parcel (FedEx, UPS, DHL)
Shipping Package Type	Pieces
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No

PRODUCT CERTIFICATIONS



Electric
Three Phase 39.1/Three
Phase L1=13.0; L2=13.0;
L3=13.0
39.1 A
230-400V
9000 W
9 kW

Electrical Plug Type	Hardwired
Number of Electrical Plugs	1
Electrical Connection Type	Direct Hardwired
Number of Electrical Conductor Wires	1
Dedicated Circuit Required	No
Electrical Remarks	Single,Three

ADDITIONAL SPECIFICATIONS	
Auto Oil Top-Off	No
Basket Lift Type	Not Applicable
Construction Materials	Stainless Steel
Control Type	Rotary Control Knob
Food Production Rate	26kg chips -12mm [frozen], 30kg chips - 12mm [chilled] per hour
Fryer Type	Open Pot
Integrated Filtration	No

Number of Baskets	11
Number of Vats (batteries)	11
Total Oil Capacity (volume)	91
Oil Reclamation	No
Oil Temperature Control	Mechanical
Pumped Oil Filtration	No
Vat 1 Oil Capacity (volume)	91
Ventless Cooking Technology	No
Split Pot	No
Temperature Maximum	190 °C

Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated January 09, 2025







MODEL: J9


BIDDING SPECIFICATIONS

Bidding Specifications Not Available.

TECHNICAL DRAWING







Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated January 09, 2025

