



SILVERLINK 600

PRODUCT OPTIONS AND ACCESSORIES

- SLR9/SB SPLASHBACK

PRODUCT FEATURES

- Rear castors to make moving oven range out for deeper cleaning easier
- Six powerful gas burners with flame failure device for added safety
- High power gas oven with side opening doors for easy access
- Fully pressed and sealed hob tops for easy cleaning
- Robust, easy-to-clean vitreous enamelled cast iron pan supports
- Low level flue maximises working area and enables you to use large stock pots
- Four shelf positions with two removable shelves

AIA FILE NUMBER:

ITEM NUMBER:



LINCAT SILVERLINK NATURAL GAS FREE-STANDING OVEN RANGE
- LEGS AT REAR - 6 BURNERS - W 900 MM - 35.5 KW

MODEL: SLR9/N

WEIGHTS & DIMENSIONS

| | |
|--------|---------|
| Width | 900 mil |
| Depth | 600 mil |
| Height | 956 mil |
| Weight | 89.9 kg |

SHIPPING DETAILS

| | |
|----------------------------|-------------------------|
| Ship Width | 100 cm |
| Ship Depth | 81 cm |
| Ship Height | 100 cm |
| Ship Weight | 98.89 lb |
| Number of Shipment Parcels | 1 |
| Ship Method | LTL Common Carrier |
| Shipping Package Type | Pieces |
| Shipping Origin Zip Code | LN6 3QZ, UNITED KINGDOM |
| Quick Ship Product | No |

PRODUCT CERTIFICATIONS



ENERGY SPECS

| | | | |
|----------------------------|----------------|-------------------------------------|------------------------------|
| Primary Energy Type | Gas | Gas Total BTUs | 121131 BTU |
| Electrical Kilowatts | 35.5 kW | Gas Inlet Size | 0.5 in |
| Electrical Plug Type | Not Applicable | Gas Inlet Pressure Required | 20 mBar |
| Number of Electrical Plugs | Not Applicable | Gas Consumption at Max Use Per Hour | 3.38 m ³ |
| Electrical Connection Type | Not Applicable | Total Heat Input at Max Use | 23.8 kW, 121131 BTU per hour |
| Gas Type | Natural Gas | | |

ADDITIONAL SPECIFICATIONS

| | | | |
|-----------------------------|-----------------|-----------------------------|---------------|
| Construction Materials | Stainless Steel | Oven Power Rating | 8.5 kW |
| Control Type | Mechanical | Oven Temperature Minimum | 130 °C |
| Exterior Trim Finish Color | Stainless Steel | Oven Temperature Maximum | 250 °C |
| High Altitude Kit Available | No | Shelf Depth | 342 mm |
| Number of Heating Zones | 6 | Shelf Width | 700 mm |
| Number of Hot Top Burners | 6 | Ventless Cooking Technology | No |
| Number of Shelf Positions | 4 | Cooking Equipment | Sealed Burner |
| Number of Shelves | 2 | BTUs Per Burner | 4.5 KW |
| Open or Sealed Burners | Sealed | | |

Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated
January 09, 2025



LINCAT SILVERLINK NATURAL GAS FREE-STANDING OVEN RANGE
- LEGS AT REAR - 6 BURNERS - W 900 MM - 35.5 KW

MODEL: SLR9/N

| SELECT COOKING EQUIPMENT | NUMBER OF | POWER RATING | ARRANGE- MENT | WIDTH | DEPTH |
|--------------------------|-----------|--------------|------------------|--------|--------|
| Sealed Burner 1 | | 6 | Center | 300 mm | 300 mm |

| SELECT BASE EQUIPMENT | NUMBER OF | CUBIC CAPACITY EACH | WIDTH | DEPTH | HEIGHT |
|-----------------------|-----------|---------------------|--------|--------|--------|
| Standard Oven 1 | | 1 | 725 mm | 342 mm | 400 mm |

BIDDING SPECIFICATIONS

Bidding Specifications Not Available.

TECHNICAL DRAWING

