



PRODUCT OPTIONS AND ACCESSORIES

- DP10 DESCALER POWDER
- BR55 EB3FX AND EB4FX WALL BRACKET
- FC04 EBFX WATER FILTER - FROM 2015
- EBHF01 Lincat EB Hands Free Tap Adaptor

Are you a bit particular when it comes to your tea? Do you feel you should be able to brew black teas at 98°C and green teas at 71°C? Don't worry, we feel the same way. That's why this FilterFlow Automatic Water Boiler comes with a twin tank, allowing you to set two different temperatures. The compact boiler provides hot water on tap 24/7, and also comes with a filtration system built-in to improve water quality. You can modify the settings via the clever colour touchscreen display, while the boiler is designed to save energy via its eco mode which learns usage patterns and switches to 50% volume.

PRODUCT FEATURES

- Twin tank model, tanks can be set to different temperatures - ideal for brewing black teas at 98°C and green teas at 71°C
- Lockable mode prevents water being dispensed without the input of a PIN code, perfect for schools, prisons, care homes and settings with vulnerable individuals
- Narrow 250mm footprint saves valuable counter space without compromising capacity or performance
- Built-in water filtration system improves water quality and reduces scale build-up. High volume, easy change FilterFlow cartridge
- Easily operated from a large, colour touchscreen display. Menu navigation is quick and easy with the temperature and timer simple to adjust
- Eco setting reduces the volume of boiling water by 50% for quieter periods. The intelligent predictive eco setting learns usage patterns and switches between eco mode and standard mode to deliver the required hot water output in the most economical way
- 7-day timer allows the boiler to be programmed to switch off overnight or at weekends to conserve energy
- Enhanced diagnostics identify possible causes. The on screen diagnostic information will enable the engineer to identify the parts needed and repair your water boiler at first visit

A/A FILE NUMBER:

ITEM NUMBER:



LINCAT FILTERFLOW COUNTER-TOP AUTOMATIC FILL TWIN-TEMPERATURE WATER BOILER - W 250 MM - 3.0 KW

MODEL: EB3FX/TT

WEIGHTS & DIMENSIONS

Width	250 mil
Depth	525 mil
Height	596 mil
Weight	17.1 kg

WATER, PLUMBING, AND DRAINAGE SPECS

Water Line Required	Yes
Water Connection Source Type	Water Main
Water Inlet Size	0.75 in
Water Inlet Pressure	6 Bar
Drain Line Required	No

ENERGY SPECS

Primary Energy Type	Electric
Electrical Total Amperage	13 A
Electrical Volts	230V
Electrical Total Wattage	3000 W
Electrical Kilowatts	3 kW
Electrical Phase	1-Phase

SHIPPING DETAILS

Ship Width	69.5 cm
Ship Depth	36.6 cm
Ship Height	53 cm
Ship Weight	18.81 kg
Number of Shipment Parcels	1
Ship Method	Small Parcel (FedEx, UPS, DHL)
Shipping Package Type	Pieces
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No

PRODUCT CERTIFICATIONS



Electrical Plug Type	UK 3-Pin Plug
Number of Electrical Plugs	1
Electrical Connection Type	Cord and Plug
Number of Electrical Conductor Wires	1
Dedicated Circuit Required	No
Electrical Remarks	Single



LINCAT FILTERFLOW COUNTER-TOP AUTOMATIC FILL TWIN-TEMPERATURE WATER BOILER - W 250 MM - 3.0 KW

MODEL: EB3FX/TT

ADDITIONAL SPECIFICATIONS

Capacity Volume	15 l	Rapid Draw Off Hot	9 l
Construction Materials	Stainless Steel	Rapid Draw Off Hot Cups	45 C
Control Type	Electronic	Ventless Cooking Technology	No
Hourly Hot Water Output	25 l	Temperature Maximum	98 °C
Hourly Number of Hot Cups	125	Temperature Minimum	70 °C

BIDDING SPECIFICATIONS

Bidding Specifications Not Available.

TECHNICAL DRAWING

