



Toast with speed and confidence with the compact Lincat Electric Conveyor Toaster. Ideal for busy hotel breakfast buffets as well as canteens and larger catering establishments, the toaster makes up to 340 slices of consistently cooked, perfectly browned toast. Designed for toasting teacakes, burger buns and other products as well as toast, the double feed means high output, while there's also adjustable speed and a browning control.

A/A FILE NUMBER:

PRODUCT OPTIONS AND ACCESSORIES

- CT1/CC CT1 CONTROL COVER

PRODUCT FEATURES

- High output from a small foot print, up to 340 slices of toast per hour
- Suitable for front and back of house use
- Has unique control of the temperature and conveyor speed, making it suitable for different products and particularly busy periods
- Can accommodate 2 slices of bread at a time
- Removable crumb tray
- High output from a compact unit — ideal for breakfast buffets
- Conveyor speed and both upper and lower elements are adjustable for precise and versatile control of browning
- Individually controlled heating elements for one-sided toasting of teacakes, burger buns, and other products

ITEM NUMBER:



LINCAT SPECIALIST ELECTRIC COUNTER-TOP CONVEYOR TOASTER - W 410 MM - 2.4 KW

MODEL: CT1

WEIGHTS & DIMENSIONS

Width	410 mil
Depth	668 mil
Height	398 mil
Weight	19.4 kg

SHIPPING DETAILS

Ship Width	70 cm
Ship Depth	55 cm
Ship Height	49.5 cm
Ship Weight	21.34 kg
Number of Shipment Parcels	1
Ship Method	Small Parcel (FedEx, UPS, DHL)
Shipping Package Type	Pieces
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No

PRODUCT CERTIFICATIONS



ENERGY SPECS

Primary Energy Type	Electric	Electrical Plug Type	UK 3-Pin Plug
Electrical Total Amperage	10.4 A	Number of Electrical Plugs	1
Electrical Volts	230V	Electrical Connection Type	Cord and Plug
Electrical Total Wattage	2400 W	Number of Electrical Conductor Wires	1
Electrical Kilowatts	2.4 kW	Dedicated Circuit Required	No
Electrical Phase	1-Phase	Electrical Remarks	Single

ADDITIONAL SPECIFICATIONS

Construction Materials	Stainless Steel
Control Type	Mechanical
Conveyor Belt Width	250 mm
Heat Source Type	Infrared
Number Of Conveyor Belts	1
Toasted Product Per Hour	340
Top and Bottom Temperature Control	Yes
Ventless Cooking Technology	No

Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated
January 09, 2025

BIDDING SPECIFICATIONS

Bidding Specifications Not Available.

TECHNICAL DRAWING

