



LYNX400

PRODUCT FEATURES

- Two tanks to allow cooking of different foods and reduce cross contamination
- Removable control head to aid easy cleaning and maintenance
- Thermostatically controlled to give better and more consistent cooking results
- Safety thermostat to prevent overheat
- Stainless steel tanks for easy cleaning
- Comes with batter plate to allow open frying
- Nickel plated baskets for easy cleaning
- Plug and play for an easy installation

The 2 x 3kW Lynx 400 Twin-Tank Electric Counter Top Fryer might be small, but it's sturdy too. Built to last, the fryer is designed to plug in and play, which means that you'll be producing perfect fried chips in no time at all. Its twin tanks allow you to cook different foods at the same time and also reduce cross contamination. Making maximum use of minimum space, the fryer is thermostatically controlled to give better and more consistent cooking results. Stainless steel tanks and nickel plated baskets make for easy cleaning, while the safety thermostat prevents overheating for added safety. Whether you're cooking in a bar, a cafe or a pub, the Lynx 400 Electric Counter Top Fryer will not let you down.



LINCAT LYNX ELECTRIC COUNTER-TOP TWIN TANK GENERAL PURPOSE FRYER - 2 BASKETS - W 540 MM - 2 X 3.0 KW

MODEL: LDF2

WEIGHTS & DIMENSIONS

Width	540 mil
Depth	417 mil
Height	315 mil
Weight	14.7 kg

SHIPPING DETAILS

Ship Width	70 cm
Ship Depth	55 cm
Ship Height	49.5 cm
Ship Weight	16.17 kg
Number of Shipment Parcels	1
Ship Method	Small Parcel (FedEx, UPS, DHL)
Shipping Package Type	Pieces
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No

PRODUCT CERTIFICATIONS



ENERGY SPECS

Primary Energy Type	Electric	Electrical Plug Type	UK 3-Pin Plug
Electrical Amps Per Conductor	2 x 13.0	Number of Electrical Plugs	2
Electrical Total Amperage	26 A	Electrical Connection Type	Cord and Plug
Electrical Volts	230V	Number of Electrical Conductor Wires	2
Electrical Total Wattage	6000 W	Dedicated Circuit Required	No
Electrical Kilowatts	6 kW	Electrical Remarks	Single
Electrical Phase	1-Phase		

ADDITIONAL SPECIFICATIONS

Auto Oil Top-Off	No	Number of Vats (batteries)	2
Basket Lift Type	Not Applicable	Total Oil Capacity (volume)	8 l
Construction Materials	Stainless Steel	Oil Reclamation	No
Control Type	Rotary Control Knob	Oil Temperature Control	Mechanical
Food Production Rate	17kg chips - 12mm	Pumped Oil Filtration	No
	[frozen], 21kg chips -	Vat 1 Oil Capacity (volume)	4 l
	12mm [chilled] per	Vat 2 Oil Capacity (volume)	4 l
	hour	Ventless Cooking Technology	No
Fryer Type	Open Pot	Split Pot	Yes
Integrated Filtration	No	Temperature Maximum	190 °C
Number of Baskets	2		

Lincat reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated
January 09, 2025

BIDDING SPECIFICATIONS

Bidding Specifications Not Available.

TECHNICAL DRAWING

