

### **MODEL: CIBOPLUS/B**



Are you tired of sacrificing food quality for the sake of speed? CiBO+ has revolutionised the high speed oven market with its unique, patented tri-heat technology, cooking in seconds, not minutes without compromise on the quality of food delivered. Ventless, compact and plugging into a standard 13 amp socket, CiBO+ is designed to be used virtually anywhere, generating additional revenue within a 395mm x 665mm footprint.

#### PRODUCT OPTIONS AND ACCESSORIES

- OC01 Sparkle Cleaner
- OS01 Protect Barrier
- TFS05 Teflon Sheet
- CIBO/TT Teflon Basket
- LTH01 Paddle Hanger
- LT02 Paddle
- NSBT23 Non Stick Baking Tray
- CIBO/ET 4 Egg Tray
- SH136 Wire Rack
- CIBOPLUS/USB USB Stick
- SK05 Mobile Stacking Stand

#### **PRODUCT FEATURES**

- CiBO+ utilises a unique tri-heat technology. Microwave, TurboAir, and ContactBase, combined deliver unrivaled quality, speed, and consistency.
- Achieve the same high quality results for every order. Simply press any one of the 40 menu items on the QPad touch screen and the oven will do the rest.
- 395mm x 665mm compact footprint with a generous sized oven. CiBO+ can fit anywhere yet still deliver a 12" pizza.
- No installation required plug- in and cook.
- · Utilise non-traditional spaces with ventless technology.
- Antimicrobial protection reduces the spread of viruses on touch points
- Easily customise the position of menu items or recipe settings to suit your business with Touch & Change. Just touch what you want to change.







# **MODEL: CIBOPLUS/B**

WEIGHTS & DIMENSIONS	
Width	395 mil
Depth	728 mil
Height	640 mil
Weight	52 kg

SHIPPING DETAILS	
Ship Width	50 cm
Ship Depth	84 cm
Ship Height	87.5 cm
Ship Weight	65 kg
Number of Shipment Parcels	1
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No
Returnable Item	No

### **PRODUCT CERTIFICATIONS**



ENERGY SPECS	
Primary Energy Source Type	Electricity
Electrical Amps	13
Electrical Voltage	230 volts
Electrical Watts	3000
Electrical Phase	Single
Kilowatts	3 kW

Number of Electrical Conductor Wires	1
Electrical Connection Type	Cord and Plug
Electrical Plug Type	UK 3-Pin Plug
Number of Electrical Plugs	1
Energy Saving	Yes

ADDITIONAL SPECIFICATIONS		
Bottom Cooking Chamber Cooking Method	Neo Ceram Heated Base	
Control Type	Electronic, Touchscreen	
Cooking Area Plate Depth	340 mil	
Cooking Area Plate Width	340 mil	
Cooking Chamber Depth	340 mm	
Cooking Chamber Height	195 mm	
Cooking Chamber Width	340 mm	
Gastronorm Capacity	1 x GN2/3	
Heated Base	Yes	

Microwave Power	1000 W
Middle Cooking Chamber Cooking Method	Microwave
Oven Power Rating	2 kW
Oven Size (volume)	23
Oven Temperature Maximum	280 °C
Oven Temperature Minimum	30 °C
Pizza Sizes Accommodated	1 x 12"
Temperature Maximum	280 °C
Temperature Minimum	30 °C
Top Cooking Chamber Cooking Method	Convection

CiBO+ reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated January 23, 2024







# **MODEL: CIBOPLUS/B**


#### **BIDDING SPECIFICATIONS**

Bidding Specifications Not Available.

#### **TECHNICAL DRAWING**







CiBO+ reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated January 23, 2024

