



IMC VENTUS V60 BOTTLE COOLER [FRONT LOAD] - FULL FRONT
GLASS DOOR - BLACK PAINTED FRAME - H 900 MM - W 600 MM -
R290

MODEL: F76/173/B



Ventus

Designed and manufactured with the highest attention to detail, the sophisticated Ventus V60 bottle cooler is the perfect fit for commercial bars, delivering optimum performance, long-term reliability and minimal operating costs. The V60 provides flexible storage of up to 96 (330ml) bottles. The polished stainless steel interior and LED lighting enhance display, while the black painted exterior cabinet blends seamlessly into any bar setting. Its electronic temperature controller, supported by an auto defrost function, provides precise monitoring, ensuring drinks are kept at perfect serving temperature. In addition, the energy-saving EcoSmart controller allows users to hold the bottle cooler in its most economical state, until it is required, and an energy-efficient forced air cooling system delivers rapid temperature pull

A/A FILE NUMBER:

ITEM NUMBER:

PRODUCT FEATURES

- Full front door for seamless integration
- Reduced 450mm depth
- Wide range of options available to customise your bottle cooler, ensure a perfect fit in any bar.
- Elegant, flexible storage for up to 96 bottles
- Dynamic Air Distribution System coupled with efficient compressors and improved insulation ensures superior cooling times.
- Electronic temperature control keeps drinks at the perfect serving temperature
- Energy efficient EcoSmart controller - at the touch of a button, put the bottle cooler into its most economical state until next required
- Sleek stainless steel interior and LED lighting to enhance display
- Single double-glazed lockable door for enhanced security
- UK 3 pin plug allows users to simply plug in and switch on



IMC VENTUS V60 BOTTLE COOLER [FRONT LOAD] - FULL FRONT GLASS DOOR - BLACK PAINTED FRAME - H 900 MM - W 600 MM -

MODEL: F76/173/B

WEIGHTS & DIMENSIONS

| | |
|--------|---------|
| Width | 600 mil |
| Depth | 450 mil |
| Height | 900 mil |
| Weight | 64 kg |

SHIPPING DETAILS

| | |
|----------------------------|--------------------------------|
| Number of Shipment Parcels | 1 |
| Ship Method | Small Parcel (FedEx, UPS, DHL) |
| Shipping Origin Zip Code | LN6 3QZ, UNITED KINGDOM |
| Quick Ship Product | No |

PRODUCT CERTIFICATIONS



ENERGY SPECS

| | | | |
|---------------------------|---------------|--------------------------------------|---------------|
| Primary Energy Type | Electric | Number of Electrical Plugs | 1 |
| Electrical Total Amperage | 1.64 A | Electrical Connection Type | Cord and Plug |
| Electrical Volts | 240V | Number of Electrical Conductor Wires | 1 |
| Electrical Total Wattage | 393 W | Dedicated Circuit Required | No |
| Electrical Kilowatts | 0.393 kW | Electrical Remarks | Single |
| Electrical Phase | 1-Phase | Energy Saving | Yes |
| Electrical Plug Type | UK 3-Pin Plug | | |

ADDITIONAL SPECIFICATIONS

| | | | |
|-------------------|-------------------------------|---------------------------|----------------|
| Application Type | Undercounter | Legs or Casters | Not Applicable |
| Capacity: Bottles | 96 | Number of Shelf Positions | 29 |
| Capacity Volume | 130 l | Number of Shelves | 2 |
| Control Type | Digital Touch Pad, Electronic | Refrigerant Type | R-290 |
| Defrost Method | Automatic | Temperature Maximum | 6 °C |
| Insulated | Yes | Temperature Minimum | 2 °C |
| | | Type of Lighting | LED |

BIDDING SPECIFICATIONS

Bidding Specifications Not Available.








IMC VENTUS V60 BOTTLE COOLER [FRONT LOAD] - FULL FRONT
GLASS DOOR - BLACK PAINTED FRAME - H 900 MM - W 600 MM -

MODEL: F76/173/B

TECHNICAL DRAWING



IMC reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated
July 02, 2024

