



CiBO+ HIGH SPEED OVEN - RED - SINGLE PHASE

MODEL: CiBO+BST/R



With all the benefits of CiBO+ but with increased power and output, CiBO+ Boosted delivers faster cook times, quicker recovery, and seamless handling of multiple portions of dense and frozen food.

AIA FILE NUMBER:

PRODUCT OPTIONS AND ACCESSORIES

- OC01 Sparkle Cleaner
- OD01-6 Heavy Duty Cleaner
- OS01 Protect Barrier
- TFS05 Teflon Sheet
- CIBO/TT Teflon Basket
- LTH01 Paddle Hanger
- LT02 Paddle
- NSBT23 Non Stick Baking Tray
- CIBO/ET 4 Egg Tray
- SH136 Wire Rack
- CIBOPLUS/USB USB Stick
- SK05 Mobile Stacking Stand

PRODUCT FEATURES

- All the benefits of CiBO+ with increased power and higher output!
- Perfect for cooking multi-portion frozen products
- Faster cooking for high demand, cook to order operations
- Single phase power supply

ITEM NUMBER:



CiBO+ HIGH SPEED OVEN - RED - SINGLE PHASE

MODEL: CiBO+BST/R

WEIGHTS & DIMENSIONS

| | |
|--------|--------|
| Width | 395 mm |
| Depth | 728 mm |
| Height | 640 mm |
| Weight | 52 kg |

SHIPPING DETAILS

| | |
|----------------------------|-------------------------|
| Ship Width | 50 cm |
| Ship Depth | 84 cm |
| Ship Height | 87.5 cm |
| Ship Weight | 65 kg |
| Number of Shipment Parcels | 1 |
| Shipping Package Type | Pieces |
| Shipping Origin Zip Code | LN6 3QZ, UNITED KINGDOM |
| Quick Ship Product | No |

PRODUCT CERTIFICATIONS



ENERGY SPECS

| | | | |
|-------------------------------|----------|--------------------------------------|-------------------|
| Primary Energy Type | Electric | Electrical Plug Type | 32A Commando Plug |
| Electrical Amps Per Conductor | 20 | Number of Electrical Plugs | 1 |
| Electrical Total Amperage | 20 A | Electrical Connection Type | Cord and Plug |
| Electrical Volts | 230V | Number of Electrical Conductor Wires | 1 |
| Electrical Total Wattage | 4700 W | Dedicated Circuit Required | Yes |
| Electrical Kilowatts | 4.7 kW | Electrical Remarks | Single |
| Electrical Phase | 1-Phase | | |

ADDITIONAL SPECIFICATIONS

| | | | |
|---------------------------------------|-----------------------|---------------------------------------|------------|
| Bottom Cooking Chamber Cooking Method | Neo Ceram Heated Base | Middle Cooking Chamber Cooking Method | Microwave |
| Cooking Area Plate Depth | 340 mm | Oven Power Rating | 2 kW |
| Cooking Area Plate Width | 340 mm | Oven Size (volume) | 23 l |
| Cooking Chamber Depth | 340 mm | Oven Temperature Maximum | 280 °C |
| Cooking Chamber Height | 195 mm | Oven Temperature Minimum | 30 °C |
| Cooking Chamber Width | 340 mm | Pizza Sizes Accommodated | 1 x 12" |
| Gastronorm Capacity | 1 x GN2/3 | Temperature Maximum | 280 °C |
| Heated Base | Yes | Temperature Minimum | 30 °C |
| Microwave Power | 1000 kW | Top Cooking Chamber Cooking Method | Convection |

CiBO+ reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated
October 30, 2024








CiBO+ HIGH SPEED OVEN - RED - SINGLE PHASE

MODEL: CiBO+BST/R

BIDDING SPECIFICATIONS

Bidding Specifications Not Available.

TECHNICAL DRAWING



CiBO+ reserves the right to modify specifications or discontinue models without incurring obligation. Dimensions nominal.

Document Auto-Generated
October 30, 2024

