



SILVERLINK 600

#### PRODUCT OPTIONS AND ACCESSORIES

- PSH9 - Pedestal Shelf

#### PRODUCT FEATURES

- Designed to suite with the Silverlink 600 range
- Features an on/off switch and thermostatic control, making them ideal as plate warmers
- Silverlink 600 counter-top units are securely attached to pedestals by means of fixing screws supplied
- Adjustable shelf provides flexibility for storing bulky items
- Adjustable legs for perfect alignment even on uneven floors

Designed to suite with other products in the Silverlink 600 range, the Heated Pedestal features an on/off switch and thermostatic control, making it ideal as a plate warmer.

AIA FILE NUMBER:

ITEM NUMBER:

**WEIGHTS & DIMENSIONS**

Width	900 mm
Depth	600 mm
Height	668 mm
Weight	37.4 kg

**WATER, PLUMBING, AND DRAINAGE SPECS**

Water Line Required	No
Drain Line Required	No

**ENERGY SPECS**

Primary Energy Type	Electric
Electrical Total Amperage	4.3 A
Electrical Volts	230V
Electrical Total Wattage	1000 W
Electrical Kilowatts	1 kW
Electrical Phase	1-Phase

**ADDITIONAL SPECIFICATIONS**

Cabinet Size	Undercounter Height
Construction Materials	Stainless Steel
Control Type	Mechanical, On/Off
Heating System	Electric
Humidity Generation	No
Insulated	No
Internal Depth	566 mm
Internal Height	422 mm

**SHIPPING DETAILS**

Ship Width	98 cm
Ship Depth	81 cm
Ship Height	77 cm
Ship Weight	41.14 kg
Number of Shipment Parcels	1
Ship Method	Small Parcel (FedEx, UPS, DHL)
Shipping Package Type	Pieces
Shipping Origin Zip Code	LN6 3QZ, UNITED KINGDOM
Quick Ship Product	No

**PRODUCT CERTIFICATIONS**



Electrical Plug Type	UK 3-Pin Plug
Number of Electrical Plugs	1
Electrical Connection Type	Cord and Plug
Number of Electrical Conductor Wires	1
Dedicated Circuit Required	No
Electrical Remarks	Single



LINCAT SILVERLINK FREE-STANDING HEATED PEDESTAL WITH  
LEGS AND DOORS - W 900 MM - 1.0 KW

**MODEL: HCL9**

**BIDDING SPECIFICATIONS**

Bidding Specifications Not Available.

