



Measuring just 513mm wide and accommodating 6 full size 1/1

gastronorm, the oven is perfect for front of house and compact kitchens where

space is limited but high output and consistent results are needed or for

satellite kitchens in combination with our Invoq ovens.

AIA FILE NUMBER:

PRODUCT FEATURES

- CombiSlim provides maximum flexibility in minimum space
- 513mm wide footprint
- Accommodates 6 1/1GN trays
- Consistent regardless of the operator
- Steam injection
- SmartChef® pre-set recipes
- Easy to use SmartTouch®, intuitive touch control display
- CombiSmart® 10 steps, humidity control
- Temperature Probe
- HACCP monitoring
- Available with a Hoodini ventless hood

ITEM NUMBER:

WEIGHTS & DIMENSIONS

Width	513 mm
Depth	811 mm
Height	753 mm
Weight	67 kg
Clearance Required: Right Side	50 mm

SHIPPING DETAILS

Ship Width	60 cm
Ship Depth	95 cm
Ship Height	92 cm
Ship Weight	60 kg
Number of Shipment Parcels	1
Shipping Package Type	Pieces
Shipping Origin Zip Code	LN6 3QZ, UK
Quick Ship Product	No

WATER, PLUMBING, AND DRAINAGE SPECS

Water Line Required	Yes
Water Connection Source Type	Plumbed Water Line
Water Inlet Size	0.75 in
Water Inlet Pressure Minimum	2.5 Bar
Water Inlet Pressure Maximum	6 Bar
Drain Line Required	Yes
Drain Location	Underneath
Drain Outlet Size	40 mil

PRODUCT CERTIFICATIONS



ENERGY SPECS

Primary Energy Type	Electric	Electrical Plug Type	Hardwired
Electrical Amps Per Conductor	L1=14; L2=14; L3=14	Number of Electrical Plugs	Not Applicable
Electrical Total Amperage	42 A	Electrical Connection Type	Direct Hardwired
Electrical Volts	400V	Number of Electrical Conductor Wires	1
Electrical Total Wattage	8400 W	Dedicated Circuit Required	Yes
Electrical Kilowatts	8.4 kW	Electrical Remarks	Three
Electrical Hertz	50 Hz	Steam Source	Direct Steam
Electrical Phase	3-Phase		

ADDITIONAL SPECIFICATIONS

Boiler Based or Boilerless	Boilerless	Instant Steam On Demand	Yes
Construction Materials	Stainless Steel	Interior	Stainless Steel
Control Type	7" Touch Screen (VS7)	Manual Or Automatic Cooling	Manual Cooling
Cooking Chamber Depth	629 mm	Number Of Cooking Chambers	1
Cooking Chamber Height	351 mm	Number of Wire Racks	0
Cooking Chamber Width	402 mm	Passthrough	No
Door Hinge Type	Field Reversible, Left Hang Hinge	Ventless Cooking Technology	No
Full-Size Or Half-Size	Half-Size	Temperature Maximum	300 °C
Gastronorm Capacity	6 x GN1/1	Temperature Minimum	30 °C
		Timed Steam Injection	Yes

BIDDING SPECIFICATIONS

Bidding Specifications Not Available.

TECHNICAL DRAWING

